


CAT 6A UTP 24-PORT PATCH PANEL


P/N:PNA24-UC6A

P/N: PNA24-UC6



PRODUCT FIGURE

Feature universal wiring for both T 568A and T 568B and voice application .



DESCRIPTION

The shielded patch panels are loaded with shielded keystone jacks , which are housed in a closure full shielding metal enclosure designed to meet highest industry requirement.A shielded version is also available to maximum protection from EMI/RFI interference. By utilizing fully shielded jacks and connecting hardware, you can reduce the effects of interference on the network data transmissions.

FEATURES AND BENEFITS

- Design to mount to any standard 19" rack or cabinet
- 24 -port Cat 6 shielded Patch panel
- Space saving, high-density 1U
- Black Electrostatic Powder-Coated Steel: phosphor bronze with tin plating over nickel . Meet or exceed the requirement of ANSI /TIA/EIA 568B.2
- Use keystone jacks and keystone inserts to configure your panel to accommodate a variety of schemes
- Sturdy Aluminum Plate around RJ 45 Jacks
- Phosphor bronze with 6-50 micro inches gold plated
- Available with T568 A, T568 B wiring pattern and meeting the requirement of Cat 6 standard
- Color Coded TIA/EIA 568A (international) and 568B (AT&T Standard) Wiring For Easy Installation
- Termination accepts 22,24 26 AWG (0.64 ,0.5 and 0.4)solid wires
- Metal sheet: Corrosion resistant steel
- Plastic: fire self -extinguish high impact plastic

CAT 6A UTP 24-PORT PATCH PANEL

P/N:PNA24-UC6A

INSTALLMENT INSTRUCTIONS



The bracket of Cat 6 patch panel.



Position the shielded keystone jack for installation.



Insert the jack into the mounting location properly.



PNA24-UC6

Cat 6 UTP 24-port patch panel

ORDER INFORMATION

Part number	Description	Standard Color	Inner box	Carton	Carton measurement	Carton weight
PNA24-UC6	24-port Cat6 unshielded patch panels (jack style) (JKA09-UC6)	Black	1PC	10PCS	L 53.5cm× W 31.3cm × H 23.4cm	10.00KG